

Lock-Locker Compatibility Program™

Have Confidence in Your Lock and Locker Selections!



This Seal Signifies Penco's Participation in the Lock-Locker Compatibility Program.™



We are dedicated to providing you with a problem free solution.

Compatibility and Quality Program

Master Lock Company and Penco Products, Inc.

Committing to lock and locker compatibility and quality

We understand that the compatibility between lock and locker must be seamless. We have your solution – the Lock-Locker Compatibility Program.™

Master Lock, in partnership with Penco, has developed an ongoing engineering collaborative and testing program. The program is designed to help ensure the locker purchaser receives a high quality, seamless, locker locking solution.

Program Elements

- ✓ **Annual Compatibility Review**
Verification testing and design review by engineers ensuring compatibility between locks and lockers.
- ✓ **Periodic Production Spot Checks**
Penco performs periodic operation compatibility testing of locks on actual locker orders.
- ✓ **New Product Validation**
Ensures that new lock and locker products work as intended before introduction, providing seamless locker locking.
- ✓ **Annual Design Conference**
Master Lock and Penco engineers meet to support, collaborate, and assist in continuous improvements.


Locker manufacturers participating in this program have agreed to conduct lock-locker testing and work in collaboration with Master Lock. This does not guarantee specific security or durability standards. Locker purchasers should conduct their own evaluation of lock-locker solutions prior to purchase to ensure the selected lock-locker solution meets their needs.



Please use this table as a guide only. Master Lock recommends trying your selected lock on your specific application prior to any purchase. Contact your lock distributor or Master Lock for assistance.

1690/1790 locks are recommended for single point latch lockers.

*Note: Single point latch lockers transitioned from horizontal latching (1652 or 1670) to rotating latching (Wrap Around Latch™) in 2008. Lockers built before 2008 will use horizontal latch locks. Please check with the locker manufacturer to confirm latch type used for lock built in 2008 or after.



Locker Selection	Handle/Latch Type	Lock Selection		Built-In Wrap Around Latch Locks			Built-In Combination Locks			Built-In Keyed Locks		Combination Portable Padlocks		
		Highest Security	Keyed	General Security			Higher Security	General Security	Higher Security	Key Controlled		Not Key Controlled		
				Combo	Keyed	General Security				High Security	General Security	High Security		
Vanguard Handle	Vanguard Handle			1630, 1631 (L)			1670, 1671 (L)		1710	1525, 1585		1502, 1572		
Vanguard Box Door (Friction Catch)	Friction Catch				1654		1670	1714	1710	1525, 1585	2010S	1502, 1572		
Vanguard Classic III	Classic III Pocket			1630, 1631 (L)					1710 (R)	1525, 1585	2010S	1502, 1572		
Vanguard Executive Inner Compartment Door	N/A						1670		1710					
Guardian Classic III	Classic III Pocket			1630, 1631 (L)			1670, 1671 (L)		1710 (R)	1525, 1585	2010S	1502, 1572		
Guardian SPL Defiant II	SPL Defiant II Pocket					1652	1670	1714	1710	1525, 1585	2010S	1502, 1572		
Guardian SPL Defiant II Rotary Hasp	SPL Defiant Rotary Hasp	1690	1790											
Guardian Medallion Classic III - RH	Classic III Pocket			1630			1670, 1671 (L)		1710	1525, 1585	2010S	1502, 1572		
Guardian Plus Classic III - RH	Classic III Pocket			1630			1670, 1671 (L)		1710	1525, 1585	2010S	1502, 1572		
Guardian Plus Cremone Handle	Cremone Handle						1670		1710	1525, 1585	2010, 2010S	1502, 1572		
Invincible II Classic III - RH	Classic III Pocket			1630			1670, 1671 (L)		1710	1525, 1585	2010S	1502, 1572		
Invincible II SPL Defiant II	SPL Defiant II Pocket					1652	1670	1714	1710	1525, 1585	2010S	1502, 1572		
Invincible II SPL Defiant II Rotary Hasp	SPL Defiant Rotary Hasp	1690	1790											
Invincible II Box Door (Friction Pull)	Friction Catch				1654		1670	1714	1710	1525, 1585	2010S	1502, 1572		
Invincible II Cremone Handle	Cremone Handle						1670		1710	1525, 1585	2010, 2010S	1502, 1572		
Stadium Security Box - (Friction Pull)	Friction Catch				1654		1670	1714	1710	1525, 1585	2010S	1502, 1572		
Stadium Footlocker - PadLock Only	N/A									1525, 1585	2010S	1502, 1572		
All Welded Classic III - RH	Classic III Pocket			1630			1670, 1671 (L)		1710	1525, 1585	2010S	1502, 1572		
All Welded SPL Defiant II	SPL Defiant II Pocket					1652	1670	1714	1710	1525, 1585	2010S	1502, 1572		
All Welded SPL Defiant II Rotary Hasp	SPL Defiant Rotary Hasp	1690	1790											

Note: Models 1790, 1714 and 1710 are available with optional master keying. Add MK to product number when ordering. (ie: 1790 + Master Key = 1790MK)


1 Select Locker 2 Select Handle/Latch Style 3 Select Lock Style 4 Select Security Level 5 For Built-Ins- Select Left or Right Hand Opening Door 6 Select ADA Lock Options
 S = short shackle, 1/2" decrease
 Recommended for lockers with pockets
 All options are right handed unless (L) designated for left-handed lockers



Please use this table as a guide only. Master Lock recommends trying your selected lock on your specific application prior to any purchase. Contact your lock distributor or Master Lock for assistance.

1690/1790 locks are recommended for single point latch lockers.

*Note: Single point latch lockers transitioned from horizontal latching (1652 or 1670) to rotating latching (Wrap Around Latch™) in 2008. Lockers built before 2008 will use horizontal latch locks. **Please check with the locker manufacturer to confirm latch type used for lock built in 2008 or after.**



Locker Selection	Lock Selection Handle/Latch Type	Built-In Wrap Around Latch Locks		Built-In Combination Locks			Built-In Keyed Locks		Combination Portable Padlocks			
		Highest Security		General Security			Higher Security	General Security	Higher Security	Key Controlled		Not Key Controlled
		Combo	Keyed							General Security	High Security	General Security
All Welded Box Door (Friction Pull)	Friction Catch			1654			1670	1714	1710	1525, 1585	2010S	1502, 1572
All Welded Cremone Handle	Cremone Handle						1670		1710	1525, 1585	2010, 2010S	1502, 1572
Patriot Cremone Handle (Double Doors)	Cremone Handle						1670		1710	1525, 1585	2010, 2010S	1502, 1572
Patriot Cremone Handle (24" wide Single Door)	Cremone Handle						1670		1710	1525, 1585	2010, 2010S	1502, 1572
Patriot Classic III - RH (Double Doors)	Classic III Pocket			1630			1670, 1671 (L)		1710	1525, 1585	2010S	1502, 1572
Patriot Classic III - RH (24" wide Single Door)	Classic III Pocket			1630			1670, 1671 (L)		1710	1525, 1585	2010S	1502, 1572
Patriot SPL Defiant II	SPL Defiant II Pocket					1652	1670	1714	1710	1525, 1585	2010S	1502, 1572
Patriot Footlocker	N/A									1525, 1585	2010S	1502, 1572
Patriot Security Box Door (Friction Pull)	Friction Catch			1654			1670	1714	1710	1525, 1585	2010S	1502, 1572
Patriot Drawer Unit	N/A							1714	1710			
Patriot Duty Cremone Handle (Double Doors)	Cremone Handle						1670		1710	1525, 1585	2010, 2010S	1502, 1572
Patriot Duty Cremone Handle (24" wide Single Door)	Cremone Handle						1670		1710	1525, 1585	2010, 2010S	1502, 1572
Patriot Duty Classic III - RH (24" wide Single Door)	Classic III Pocket			1630			1670, 1671 (L)		1710	1525, 1585	2010S	1502, 1572
Patriot Duty SPL Defiant II (24" wide Single Door)	SPL Defiant II Pocket					1652	1670	1714	1710	1525, 1585	2010S	1502, 1572
Patriot Duty Drawer Base Unit	N/A							1714	1710			

Note: Models 1790, 1714 and 1710 are available with optional master keying. Add MK to product number when ordering. (ie: 1790 + Master Key = 1790MK)

- 1 Select Locker
- 2 Select Handle/Latch Style
- 3 Select Lock Style
S = short shackle, 1/2" decrease
Recommended for lockers with pockets
- 4 Select Security Level
- 5 For Built-Ins- Select Left or Right Hand Opening Door
All options are right handed unless (L) designated for left-handed lockers
- 6 Select ADA Lock Options

www.masterlock.com

Master Lock Company LLC, Milwaukee, WI 53154 U.S.A. | 800-308-9244
 Master Lock Canada, Mississauga, Ontario L5L 5Z9
 © 2023 Master Lock Company | All Rights Reserved



ADA Compliant Lock Options

Designed to meet 28CFR Part 36 Federal Standards
 3681, 1630 = 1636MKADA, 1670 = 1676MKADA, 1690 = 1695MKADA,
 1790 = 1790MKADA, 1710 = 1710MKADA, 1714 = 1714MKADA



Easy to Use Lock Options

1525 = 1525EZRC, 2650



Master Lock
 LOCK-LOCKER
 COMPATIBILITY PROGRAM