

Lock-Locker Compatibility Program™

Have Confidence in Your Lock and Locker Selections!



This Seal Signifies Penco's Participation in the Lock-Locker Compatibility Program.™



We are dedicated to providing you with a problem free solution.

Compatibility and Quality Program

Master Lock Company and Penco Products, Inc.

Committing to lock and locker compatibility and quality

We understand that the compatibility between lock and locker must be seamless. We have your solution – the Lock-Locker Compatibility Program.™

Master Lock, in partnership with Penco, has developed an ongoing engineering collaborative and testing program. The program is designed to help ensure the locker purchaser receives a high quality, seamless, locker locking solution.

Program Elements

- ✓ **Annual Compatibility Review**
Verification testing and design review by engineers ensuring compatibility between locks and lockers.
- ✓ **Periodic Production Spot Checks**
Penco performs periodic operation compatibility testing of locks on actual locker orders.
- ✓ **New Product Validation**
Ensures that new lock and locker products work as intended before introduction, providing seamless locker locking.
- ✓ **Annual Design Conference**
Master Lock and Penco engineers meet to support, collaborate, and assist in continuous improvements.

Locker manufacturers participating in this program have agreed to conduct lock-locker testing and work in collaboration with Master Lock. This does not guarantee specific security or durability standards. Locker purchasers should conduct their own evaluation of lock-locker solutions prior to purchase to ensure the selected lock-locker solution meets their needs.



Please use this table as a guide only. Master Lock recommends trying your selected lock on your specific application prior to any purchase. Contact your lock distributor or Master Lock for assistance.

1690/1790 locks are recommended for single point latch lockers.

*Note: Single point latch lockers transitioned from horizontal latching (1652 or 1670) to rotating latching (Wrap Around Latch™) in 2008. Lockers built before 2008 will use horizontal latch locks. Please check with the locker manufacturer to confirm latch type used for lock built in 2008 or after.



| Locker Selection | Lock Selection Handle/Latch Type | Built-In Wrap Around Latch Locks | | Built-In Combination Locks | | | Built-In Keyed Locks | | Combination Portable Padlocks | | | | Keypad Portable Padlocks | |
|---|-------------------------------------|----------------------------------|-------|----------------------------|------|-----------------|----------------------|------------------|-------------------------------|----------------|------------------|--------------------|--------------------------|------|
| | | Highest Security | | General Security | | | Higher Security | General Security | Higher Security | Key Controlled | | Not Key Controlled | | |
| | | Combo | Keyed | General Security | | Higher Security | General Security | | | High Security | General Security | High Security | | |
| Vanguard Handle | Vanguard Handle | | | 1630, 1631 (L) | | | 1670, 1671 (L) | | 1710 | 1525, 1585 | | 1502, 1572 | | |
| Vanguard Box Door (Friction Catch) | Friction Catch | | | | 1654 | | 1670 | 1714 | 1710 | 1525, 1585 | 2010S | 1502, 1572 | 2002S | 2650 |
| Vanguard Classic III | Classic III Pocket | | | 1630, 1631 (L) | | | | | 1710 (R) | 1525, 1585 | 2010S | 1502, 1572 | 2002S | 2650 |
| Vanguard Executive Inner Compartment Door | N/A | | | | | | 1670 | | 1710 | | | | | |
| Guardian Classic III | Classic III Pocket | | | 1630, 1631 (L) | | | 1670, 1671 (L) | | 1710 (R) | 1525, 1585 | 2010S | 1502, 1572 | 2002S | 2650 |
| Guardian SPL Defiant II | SPL Defiant II Pocket | | | | | 1652 | 1670 | 1714 | 1710 | 1525, 1585 | 2010S | 1502, 1572 | 2002S | 2650 |
| Guardian SPL Defiant II Rotary Hasp | SPL Defiant Rotary Hasp | 1690 | 1790 | | | | | | | | | | | |
| Guardian Medallion Classic III - RH | Classic III Pocket | | | 1630 | | | 1670, 1671 (L) | | 1710 | 1525, 1585 | 2010S | 1502, 1572 | 2002S | 2650 |
| Guardian Plus Classic III - RH | Classic III Pocket | | | 1630 | | | 1670, 1671 (L) | | 1710 | 1525, 1585 | 2010S | 1502, 1572 | 2002S | 2650 |
| Guardian Plus Cremone Handle | Cremone Handle | | | | | | 1670 | | 1710 | 1525, 1585 | 2010, 2010S | 1502, 1572 | 2002, 2002S | 2650 |
| Invincible II Classic III - RH | Classic III Pocket | | | 1630 | | | 1670, 1671 (L) | | 1710 | 1525, 1585 | 2010S | 1502, 1572 | 2002S | 2650 |
| Invincible II SPL Defiant II | SPL Defiant II Pocket | | | | | 1652 | 1670 | 1714 | 1710 | 1525, 1585 | 2010S | 1502, 1572 | 2002S | 2650 |
| Invincible II SPL Defiant II Rotary Hasp | SPL Defiant Rotary Hasp | 1690 | 1790 | | | | | | | | | | | |
| Invincible II Box Door (Friction Pull) | Friction Catch | | | | 1654 | | 1670 | 1714 | 1710 | 1525, 1585 | 2010S | 1502, 1572 | 2002S | 2650 |
| Invincible II Cremone Handle | Cremone Handle | | | | | | 1670 | | 1710 | 1525, 1585 | 2010, 2010S | 1502, 1572 | 2002, 2002S | 2650 |
| Stadium Security Box - (Friction Pull) | Friction Catch | | | | 1654 | | 1670 | 1714 | 1710 | 1525, 1585 | 2010S | 1502, 1572 | 2002S | 2650 |
| Stadium Footlocker - PadLock Only | N/A | | | | | | | | | 1525, 1585 | 2010S | 1502, 1572 | 2002S | 2650 |
| All Welded Classic III - RH | Classic III Pocket | | | 1630 | | | 1670, 1671 (L) | | 1710 | 1525, 1585 | 2010S | 1502, 1572 | 2002S | 2650 |
| All Welded SPL Defiant II | SPL Defiant II Pocket | | | | | 1652 | 1670 | 1714 | 1710 | 1525, 1585 | 2010S | 1502, 1572 | 2002S | 2650 |
| All Welded SPL Defiant II Rotary Hasp | SPL Defiant Rotary Hasp | 1690 | 1790 | | | | | | | | | | | |

Note: Models 1790, 1714 and 1710 are available with optional master keying. Add MK to product number when ordering. (ie: 1790 + Master Key = 1790MK)

1 Select Locker 2 Select Handle/Latch Style 3 Select Lock Style 4 Select Security Level 5 For Built-Ins- Select Left or Right Hand Opening Door 6 Select ADA Lock Options
 S = short shackle, 1/2" decrease
 Recommended for lockers with pockets
 All options are right handed unless (L) designated for left-handed lockers



Please use this table as a guide only. Master Lock recommends trying your selected lock on your specific application prior to any purchase. Contact your lock distributor or Master Lock for assistance.

1690/1790 locks are recommended for single point latch lockers.

*Note: Single point latch lockers transitioned from horizontal latching (1652 or 1670) to rotating latching (Wrap Around Latch™) in 2008. Lockers built before 2008 will use horizontal latch locks. Please check with the locker manufacturer to confirm latch type used for lock built in 2008 or after.



| Locker Selection | Lock Selection Handle/Latch Type | Built-In Wrap Around Latch Locks | | Built-In Combination Locks | | | Built-In Keyed Locks | | Combination Portable Padlocks | | | | Keypad Portable Padlocks | |
|--|-------------------------------------|----------------------------------|-------|----------------------------|--|------|----------------------|------------------|-------------------------------|------------------|---------------|--------------------|--------------------------|---------------|
| | | Highest Security | | General Security | | | Higher Security | General Security | Higher Security | Key Controlled | | Not Key Controlled | | |
| | | Combo | Keyed | | | | | | | General Security | High Security | General Security | | High Security |
| All Welded Box Door (Friction Pull) | Friction Catch | | | 1654 | | | 1670 | 1714 | 1710 | 1525, 1585 | 2010S | 1502, 1572 | 2002S | 2650 |
| All Welded Cremone Handle | Cremone Handle | | | | | | 1670 | | 1710 | 1525, 1585 | 2010, 2010S | 1502, 1572 | 2002, 2002S | 2650 |
| Patriot Cremone Handle (Double Doors) | Cremone Handle | | | | | | 1670 | | 1710 | 1525, 1585 | 2010, 2010S | 1502, 1572 | 2002, 2002S | 2650 |
| Patriot Cremone Handle (24" wide Single Door) | Cremone Handle | | | | | | 1670 | | 1710 | 1525, 1585 | 2010, 2010S | 1502, 1572 | 2002, 2002S | 2650 |
| Patriot Classic III - RH (Double Doors) | Classic III Pocket | | | 1630 | | | 1670, 1671 (L) | | 1710 | 1525, 1585 | 2010S | 1502, 1572 | 2002S | 2650 |
| Patriot Classic III - RH (24" wide Single Door) | Classic III Pocket | | | 1630 | | | 1670, 1671 (L) | | 1710 | 1525, 1585 | 2010S | 1502, 1572 | 2002S | 2650 |
| Patriot SPL Defiant II | SPL Defiant II Pocket | | | | | 1652 | 1670 | 1714 | 1710 | 1525, 1585 | 2010S | 1502, 1572 | 2002S | 2650 |
| Patriot Footlocker | N/A | | | | | | | | | 1525, 1585 | 2010S | 1502, 1572 | 2002S | 2650 |
| Patriot Security Box Door (Friction Pull) | Friction Catch | | | 1654 | | | 1670 | 1714 | 1710 | 1525, 1585 | 2010S | 1502, 1572 | 2002S | 2650 |
| Patriot Drawer Unit | N/A | | | | | | | 1714 | 1710 | | | | | |
| Patriot Duty Cremone Handle (Double Doors) | Cremone Handle | | | | | | 1670 | | 1710 | 1525, 1585 | 2010, 2010S | 1502, 1572 | 2002, 2002S | 2650 |
| Patriot Duty Cremone Handle (24" wide Single Door) | Cremone Handle | | | | | | 1670 | | 1710 | 1525, 1585 | 2010, 2010S | 1502, 1572 | 2002, 2002S | 2650 |
| Patriot Duty Classic III - RH (24" wide Single Door) | Classic III Pocket | | | 1630 | | | 1670, 1671 (L) | | 1710 | 1525, 1585 | 2010S | 1502, 1572 | 2002S | 2650 |
| Patriot Duty SPL Defiant II (24" wide Single Door) | SPL Defiant II Pocket | | | | | 1652 | 1670 | 1714 | 1710 | 1525, 1585 | 2010S | 1502, 1572 | 2002S | 2650 |
| Patriot Duty Drawer Base Unit | N/A | | | | | | | 1714 | 1710 | | | | | |

Note: Models 1790, 1714 and 1710 are available with optional master keying. Add MK to product number when ordering. (ie: 1790 + Master Key = 1790MK)

- 1 Select Locker
- 2 Select Handle/Latch Style
- 3 Select Lock Style
S = short shackle, 1/2" decrease
Recommended for lockers with pockets
- 4 Select Security Level
- 5 For Built-Ins- Select Left or Right Hand Opening Door
All options are right handed unless (L) designated for left-handed lockers
- 6 Select ADA Lock Options

www.masterlock.com

Master Lock Company LLC, Milwaukee, WI 53154 U.S.A. | 800-308-9244
 Master Lock Canada, Mississauga, Ontario L5L 5Z9 | 800-227-9599
 © 2018 Master Lock Company | All Rights Reserved



ADA Compliant Lock Options

Designed to meet 28CFR Part 36 Federal Standards
 3681, 1630 = 1636MKADA, 1670 = 1676MKADA, 1690 = 1695MKADA,
 1790 = 1790MKADA, 1710 = 1710MKADA, 1714 = 1714MKADA



Easy to Use Lock Options

1525 = 1525EZRC, 2650



Master Lock
 LOCK-LOCKER
 COMPATIBILITY PROGRAM