Master Lock Company, 6744 South Howell Ave, P.O. Box 927, Oak Creek, Wisconsin 53154 TELEPHONE: 800-308-9244; FAX: 800-308-9245; WEBSITE: www.masterlock.com

#### **SECTION 10 51 63**

### **KEYED PADLOCKS**

#### **PART 1 - GENERAL**

#### 1.1 SUMMARY

A. Furnish Master Lock mechanical portable keyed locks for installation on lockers, cabinets or containers as shown or indicated on approved drawings.

### 1.2 SUBMITTALS

- A. Provide in accordance with Section 01 33 00 Submittal Procedures:
  - 1. Product data for locks.
- B. Provide in accordance with Section 01 78 00 Closeout Submittals:
  - 1. Printed control chart and text file on disc of serial numbers and lock combinations.

# **PART 2 - PRODUCTS**

### 2.1 ACCEPTABLE MANUFACTURERS

- A. Master Lock Company, 6744 South Howell Ave, P.O. Box 927, Oak Creek, Wisconsin 53154; 800-308-9244; www.masterlock.com.
- B. Requests to use equivalent products of other manufacturers shall be submitted in accordance with Section 01 63 00 Product Substitution Procedures.

### 2.2 PUSHKEY PADLOCKS

Master Lock Company provides the following model of pushkey padlock:

Model 2650: Padlock with 3/4 inch shackle.

- A. Type: General security, keyed portable padlock. Pushkey no turn lock. 4 keys included: 2 with large key head covers.
- B. Construction: 2-3/8 inch flared lock body with easy to grip rubber coating.
- C. Shackle: Hardened steel resistant to cutting and prying with 3/4 inch high opening. Fits lockers with 5/16 inch minimum diameter padlock eye.

Master Lock Company, 6744 South Howell Ave, P.O. Box 927, Oak Creek, Wisconsin 53154 TELEPHONE: 800-308-9244; FAX: 800-308-9245; WEBSITE: www.masterlock.com

D. Provide 5 pin tumbler cylinder on the bottom of padlock for supervisory access.

## **PART 3 - EXECUTION**

#### 3.1 EXAMINATION:

A. Examine areas and conditions in which the locks will be installed.

### 3.2 INSTALLATION:

A. Locks shall be installed in accordance with lock manufacturer's instruction.

# 3.3 QUALITY ASSURANCE:

A. Master Lock reserves the right to modify the design and/or function of lock and change specifications to maintain compliance with corporate quality assurance polices.

#### **END OF SECTION**