



406MKW417RED

Red Dielectric Zenex™ Thermoplastic Safety Padlock, 1-1/2in (38mm) Wide with 1-1/2in (38mm) Tall Nylon Shackle, Master Keyed W417 Cylinder





• 406

• ---

 $\bullet \ \ 1\text{-}1\text{/}2\text{in (38mm) wide, } 1\text{-}3\text{/}4\text{in (45mm) tall, } Thermoplastic red body, plastic shackle with } 1\text{-}1\text{/}2\text{in (38mm) clearance}$

• Compliance with "One Employee, One Lock, One Key" directive

• ---

• 6

• 636

The Master Lock No. 406MK417RED Dielectric Thermoplastic Safety PadlockMaster keyed - a master key opens all the locks in the system although each lock has its own unique key - features a 1-1/2in (38mm) wide Zenex™ Thermoplastic red body and a 1-1/2in (38mm) tall, 1/4in (6mm) diameter plastic shackle to help prevent electrocution and arc flashing and to prevent electrical current from shackle to key. All components are non-sparking and non-magnetic. Designed exclusively for Lockout/Tagout applications, the durable, lightweight material is easy to carry and padlock has key retaining cylinder to ensure the padlock is not left unlocked.

406MKW417RED


38mm

A: 6 mm B: 38 mm C: 20 mm

Master Keyed, Keyed Different, Commercial Boxed Packaging

6

36



Master Lock Europe S.A.S.

10 avenue de l'arche - Le Colisée Gardens, bâtiment A - 92 400 Courbevoie - La Défense - France
O:+33-1-41437200 | F:+33-1-41437204
www.masterlock.eu